

# FRONT

SAFE AREA

## MONOLITH 600

### ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- 1** Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2** Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3** Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- 4** All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- 5** All linked images used on this template must have a minimum resolution of 300dpi.
- 6** All fonts must be converted to outlines - no live copy to remain.
- 7** You must inform us if your document contains Pantone colours and provide a sample to match to.
- 8** Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

## 25%

This template is supplied at 25% of finished size - **DO NOT RESIZE**

## 3mm

This template includes 3mm bleed (black line / stroke)



The overall size of this template is 154 (w) x 589 (h) mm and includes bleed



**Product Graphic Area:**  
610 (w) x 2350 (h) mm

**Visible Graphic Area:**  
510 (w) x 2250 (h) mm

SAFE AREA

**BACK**

SAFE AREA

SAFE AREA

# FRONT

## SAFE AREA

# MONOLITH 800

### ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- 1** Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2** Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3** Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- 4** All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- 5** All linked images used on this template must have a minimum resolution of 300dpi.
- 6** All fonts must be converted to outlines - no live copy to remain.
- 7** You must inform us if your document contains Pantone colours and provide a sample to match to.
- 8** Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

## 25%

This template is supplied at 25% of finished size - **DO NOT RESIZE**

## 3mm

This template includes 3mm bleed (black line / stroke)



The overall size of this template is 204 (w) x 589 (h) mm and includes bleed



**Product Graphic Area:**  
810 (w) x 2350 (h) mm

**Safe Area:**  
710 (w) x 2250 (h) mm

## SAFE AREA

**BACK**

SAFE AREA

SAFE AREA

# FRONT

SAFE AREA

## MONOLITH 900

### ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- 1** Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2** Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3** Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- 4** All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- 5** All linked images used on this template must have a minimum resolution of 300dpi.
- 6** All fonts must be converted to outlines - no live copy to remain.
- 7** You must inform us if your document contains Pantone colours and provide a sample to match to.
- 8** Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

## 25%

This template is supplied at 25% of finished size - **DO NOT RESIZE**

## 3mm

This template includes 3mm bleed (black line / stroke)



The overall size of 229 (w) x 589 (h) mm and includes bleed



**Product Graphic Area:**  
910 (w) x 2350 (h) mm

**Safe Area:**  
810 (w) x 2250 (h) mm

SAFE AREA

**BACK**

SAFE AREA

SAFE AREA

# FRONT

SAFE AREA

## MONOLITH 1000

### ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- 1** Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2** Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3** Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- 4** All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- 5** All linked images used on this template must have a minimum resolution of 300dpi.
- 6** All fonts must be converted to outlines - no live copy to remain.
- 7** You must inform us if your document contains Pantone colours and provide a sample to match to.
- 8** Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

## 25%

This template is supplied at 25% of finished size - **DO NOT RESIZE**

## 3mm

This template includes 3mm bleed (black line / stroke)



The overall size of this template is 254 (w) x 589 (h) mm and includes bleed



**Product Graphic Area:**  
1010 (w) x 2350 (h) mm

**Safe Area:**  
910 (w) x 2250 (h) mm

SAFE AREA

**BACK**

SAFE AREA

**BACK**

SAFE AREA



# FRONT

SAFE AREA

## MONOLITH 1200

### ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- 1** Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2** Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3** Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- 4** All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- 5** All linked images used on this template must have a minimum resolution of 300dpi.
- 6** All fonts must be converted to outlines - no live copy to remain.
- 7** You must inform us if your document contains Pantone colours and provide a sample to match to.
- 8** Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

## 25%

This template is supplied at 25% of finished size - **DO NOT RESIZE**

## 3mm

This template includes 3mm bleed (black line / stroke)



The overall size of this template is 304 (w) x 589 (h) mm and includes bleed



**Product Graphic Area:**  
1210 (w) x 2350 (h) mm

**Safe Area:**  
1110 (w) x 2250 (h) mm

SAFE AREA

**BACK**

SAFE AREA

SAFE AREA

# FRONT

SAFE AREA

## MONOLITH 1500

### ARTWORK CHECKLIST

Please follow the 8 steps below before submitting print ready artwork files.

- 1** Create artwork on the 'Artwork' Layer in CMYK mode only and provide Pantone samples to match to. Leave other layers as they are and do not delete.
- 2** Keep critical artwork (images, logos, copy or text) within white 'safe' area.
- 3** Ensure your artwork extends to outer edge of the bleed (indicated by black line / stroke).
- 4** All linked images must be converted to CMYK and be supplied with your PDF (Do not supply in RGB or embed them).
- 5** All linked images used on this template must have a minimum resolution of 300dpi.
- 6** All fonts must be converted to outlines - no live copy to remain.
- 7** You must inform us if your document contains Pantone colours and provide a sample to match to.
- 8** Save artwork using Adobe PDF preset PDF/X-4:2010, and check box to "Create Acrobat layers from top level layers".

### 25%

This template is supplied at 25% of finished size - **DO NOT RESIZE**

### 3mm

This template includes 3mm bleed (black line / stroke)



The overall size of this template is 379 (w) x 589 (h) mm and includes bleed



**Product Graphic Area:**  
1510 (w) x 2350 (h) mm

**Safe Area:**  
1410 (w) x 2250 (h) mm

SAFE AREA

**BACK**

SAFE AREA

SAFE AREA